

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943

Owner Name:

N. NICHOLAS JESSE
BUNK HOUSE RV PARK
36315 HWY 101 N
NEHALEM, OR 97131

Inspection Type: SEMI
Inspection Result: COMPLD
Establishment #: 2920001 Area: 31
Units: 9
County: 29

BUNK HOUSE RV PARK
36315 HWY 101 N
NEHALEM, OR 97131

Phone: (503) 368-2865 x
Inspector: Jaime Craig

Start Date/Time: 1/27/2017 at 10:27:11 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

PERSON IN CHARGE EASILY FOUND
PARK CLEAN AND WELL MAINTAINED
BATHROOMS CLEAN, HOT WATER, STOCK
BACK FLOW PREVENTERS GIVEN OUT AT TIME OF CHECK IN TO PREVENT THEFT, BUT #7 IS MISSING ONE (OCCUPIED)
GARBAGE AREA GOOD
GOOD SPACING BETWEEN UNITS
EXTERIOR OF BUILDINGS IN GOOD REPAIR
EASY FLOW TRAFFIC IN THE PARK
SITES NUMBERED
LOOKS GOOD! THANKS!

Comments:

Site Report Generated: 6/23/2017 9:54:39 AM

Person In Charge

Inspection By: Jaime Craig

Establishment: 2920001

Page 2 of 9

Inspection Type: SEMI

Start Date/Time: 9/2/2016 at 11:14:19

Historical 9/2/2016 RECREATIONAL PARK INSPECTION REPORT

Page 2 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:

N. NICHOLAS JESSE

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2920001 Area: 31

Units: 9

County: 29

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Phone: (503) 368-2865 x

Inspector: Jaime Craig

Start Date/Time: 9/2/2016 at 11:14:19 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

PERSON IN CHARGE EASY TO FIND
BACKFLOW PREVENTERS ARE GIVEN OUT AT TIME OF CHECK IN TO PREVENT THEFT
SLOPING OF SEWERS LOOKS GOOD
GARBAGE AREA-GOOD
GOOD SPACING BETWEEN UNITS (AT LEAST 10FT)
BATHROOMS CLEAN, WELL VENTED, STOCKED, AND HOT WATER
***WOMEN'S BATHROOM NEEDS THE SELF CLOSING DOOR MECHANISM FIXED.
OVERALL APPEARANCE OF THE GROUNDS-GOOD
EXTERIOR OF BUILDINGS IN GOOD REPAIR
EASY FLOW OF TRAFFIC IN THE PARK
LAUNDRY ROOM SCREEN
THANKS!

Comments:

Site Report Generated: 6/23/2017 9:54:40 AM

Person In Charge

Inspection By: Jaime Craig

Page 2

Historical 2/2/2016 RECREATIONAL PARK INSPECTION REPORT

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:

N. NICHOLAS JESSE
BUNK HOUSE RV PARK
36315 HWY 101 N
NEHALEM, OR 97131

Inspection Type: SEMI
Inspection Result: COMPLD
Establishment #: 2920001 Area: 31

Units: 9
County: 29

BUNK HOUSE RV PARK
36315 HWY 101 N
NEHALEM, OR 97131

Phone: (503) 368-2865 x
Inspector: Mason Lyman

Start Date/Time: 2/2/2016 at 1:08:28 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

INSPECTION OF RV PARK-

OUTSIDE OF BUILDINGS WELL MAINTAINED
SHOWERHOUSE IN GOOD SHAPE/FULL OF SUPPLIES
SEWER LINES SLOPED CORRECTLY
BACKFLOW PREVENTION DEVICES INSTALLED
GOOD FLOW OF TRAFFIC AROUND PARK
SITES EASILY IDENTIFIED
GOOD SPACING BETWEEN UNITS.
(AT LEAST 10 FEET)
NO EVIDENCE OF RODENTS/ PESTS IN FACILITY
GARBAGE COLLECTION AREAS SAFE/PROTECTED
MANAGER EASILY FOUND ON SITE

NO VIOLATIONS- THANK YOU

Comments:

Site Report Generated: 6/23/2017 9:54:40 AM

Establishment: 2920001

Page 4 of 9

Inspection Type: SEMI

Start Date/Time: 8/11/2015 at 1:32:02

Historical 8/11/2015 RECREATIONAL PARK INSPECTION REPORT

Page 4 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:

N. NICHOLAS JESSE

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2920001 Area: 31

Units: 9

County: 29

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Phone: (503) 368-2865 x

Inspector: Mason Lyman

Start Date/Time: 8/11/2015 at 1:32:02 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

INSPECTION OF PARK-

ALL SITES ARE EASILY IDENTIFIED.
GOOD FLOW OF TRAFFIC AROUND PARK.
RESTROOMS CLEAN/ORDERLY
GOOD VENTILATION IN RESTROOMS
ALL SURFACES ARE SMOOTH/EASILY CLEANABLE
MOST SEWER LINES SLOPED CORRECTLY
BACKFLOW PREVENTERS ON MOST FAUCETS
PIC FOUND EASILY ON SITE
GARBAGE REMOVED OFTEN/NO OVER FLOW.
MANAGER DOES WELL ENFORCING RULES.

Comments:

Site Report Generated: 6/23/2017 9:54:40 AM

Person In Charge

Inspection By: Mason Lyman

Page 4

Establishment: 2920001

Page 5 of 9

Inspection Type: SEMI

Start Date/Time: 1/14/2015 at 12:23:14

Historical 1/14/2015 RECREATIONAL PARK INSPECTION REPORT

Page 5 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:

N. NICHOLAS JESSE

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2920001 Area: 31

Units: 9

County: 29

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Phone: (503) 368-2865 x

Inspector: Mason Lyman

Start Date/Time: 1/14/2015 at 12:23:14 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

SEMIANNUAL INSPECTION OF RV PARK-

RESTROOMS ARE CLEAN AND MADE UP OF SMOOTH SURFACES
GOOD VENTILATION IN RESTROOMS TO ALLOW AIR MOVEMENT
GROUNDS ARE TIDY AND CLEAN AROUND PARK
GOOD FLOW OF TRAFFIC TO AVOID CONGESTION
SITES ARE WELL SPACED, ALLOWING AT LEAST 10 FEET BETWEEN CAMPING VEHICLES.
BACKFLOW DEVICES INSTALLED ON MOST FAUCETS
GO RODENTS AROUND PARK
GARBAGE COLLECTION DONE WELL AND EMPTIED REGULARLY

**SITE NUMBER 7 NEEDS BETTER SIGN TO IDENTIFY THE SPOT.

**SITE #8 HAS A SEWER LINE THAT ISN'T SLOPED CORRECTLY, PLEASE CORRECT TO ALLOW DRAINAGE TO THE LINES FROM BACKING UP.

Comments:

Site Report Generated: 6/23/2017 9:54:40 AM

Person In Charge

Inspection By: Mason Lyman

Page 5

Historical 8/12/2014

RECREATIONAL PARK INSPECTION REPORT

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:

N. NICHOLAS JESSE

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2920001 Area: 31

Units: 9

County: 29

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Phone: (503) 368-2865 x

Inspector: Mason Lyman

Start Date/Time: 8/12/2014 at 12:31:43 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

SEMIANNUAL INSPECTION.

**SPACE #8 NEEDS A BETTER IDENTIFICATION SIGN, ALL OTHER SITES ARE VISIBLE AND IDENTIFIABLE FOR EMERGENCY PERSONNEL.

RESTROOMS OK. HOT WATER, PAPER TOWELS, SOA, AND EASILY CLEANABLE. VENT WORKS GREAT.

GOOD SPACING OF UNITS, GOOD TRAFFIC FLOW AROUND PARK.

SEWER LINES ALL SLOPED CORRECTLY AND LOOKING GOOD.

BACKFLOW PREVENTION DEVICES INSTALLED AND READY TO GO.

OUTSIDE OF BUILDINGS WELL MAINTAINED AND PREVENTING BUGS INFESTATIONS.

GARBAGE COLLECTION DONE IN A SANITARY WAY.

RESTROOMS WERE CLEAR, AND VENTING WELL.

LAUNDRY WAS SAFE AND CLEAN.

PARK IS IN OVERALL VERY GOOD REPAIR, AND NO WATER POOLING IN ANY LOCATIONS.

NO VIOLATIONS AT THIS TIME.

Comments:

Site Report Generated: 6/23/2017 9:54:40 AM

Establishment: 2920001

Page 7 of 9

Inspection Type: SEMI

Start Date/Time: 1/16/2014 at 12:45:09

Historical 1/16/2014 RECREATIONAL PARK INSPECTION REPORT

Page 7 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:

N. NICHOLAS JESSE

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2920001 Area: 31

Units: 9

County: 29

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Phone: (503) 368-2865 x

Inspector: Annette Pampush

Start Date/Time: 1/16/2014 at 12:45:09 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THIS IS A SEMI ANNUAL INSPECTION

PARK IS ALMOST FULL WITH LONG TIME RENTERS

PARK GROUNDS CLEAN AND WELL MAINTAINED

WATER SPIGOTS HAVE COVERS TO PREVENT FREEZEINGT

WASTE HOSES ARE ALL SLOPED AND SEALED APPROPRIATELY

RESTROOMS CLEAN AND TIDY

LAUNDRY IS CLEAN AND TIDY

THANK YOU !

Comments:

Site Report Generated: 6/23/2017 9:54:40 AM

Person In Charge

Inspection By: Annette Pampush

Page 7

Historical 8/5/2013

RECREATIONAL PARK INSPECTION REPORT

Page 8 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:

N. NICHOLAS JESSE

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2920001 Area: 31

Units: 9

County: 29

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Phone: (503) 368-2865 x

Inspector: Melissa Kauffman

Start Date/Time: 8/5/2013 at 2:57:59 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THE PURPOSE OF THIS VISIT IS A SEMI ANNUAL INSPECTION.

- ALL SITES ARE EASILY IDENTIFIABLE
- SEWAGE LINES ARE PROPERLY SLOPED
- GARBAGE AND RECYCLING ARE IN PROPERLY STORED
- ANIT SIPHON DEVICES ARE PRESENT
- BATH HOUSE HAS RUNNING WATER AND IN GOOD REPAIR
- PROPER SPACING BETWEEN RV'S
- CAMP GROUNDS ARE IN GOOD REPAIR

THERE ARE NO VIOLATIONS AT THIS TIME.

Comments:

Site Report Generated: 6/23/2017 9:54:40 AM

Person In Charge

Inspection By: Melissa Kauffman

Establishment: 2920001

Page 9 of 9

Inspection Type: SEMI

Start Date/Time: 2/7/2013 at 10:12:27

Historical 2/7/2013 RECREATIONAL PARK INSPECTION REPORT

Page 9 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:

N. NICHOLAS JESSE

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2920001 Area: 31

Units: 9

County: 29

BUNK HOUSE RV PARK

36315 HWY 101 N

NEHALEM, OR 97131

Phone: (503) 368-2865 x

Inspector: Melissa Kauffman

Start Date/Time: 2/7/2013 at 10:12:27 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THE PURPOSE OF THIS VISIT IS A SEMI ANNUAL INSPECTION OF THE RV PARK

ALL SEWAGE LINES ARE PROPERLY SLOPED
BATHROOM AND SHOWERS ARE IN GOOD REPAIR
THE PARK GROUNDS ARE CLEAN AND IN GREAT REPAIR
ALL CAMP SITES ARE EASILY IDENTIFIABLE
WATER SPIGOTS WERE WRAPPED AT THIS TIME
THERE ARE NO VIOLATIONS AT THIS TIME THANK YOU!

Comments:

Site Report Generated: 6/23/2017 9:54:40 AM

Person In Charge

Inspection By: Melissa Kauffman

Page 9