

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943

Owner Name:
TILLAMOOK SCHOOL DIST #9
EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Inspection Type: SEMI
Inspection Result: COMPLD
Establishment #: 2970001 Area: 70
Units: 0
County: 29

EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Phone: (503) 842-7544 x
Inspector: Jaime Craig

Start Date/Time: 9/27/2016 at 9:43:52 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND.

SEMI ANNUAL INSPECTION

COLD HOLDING:

WALK IN FRIDGE: MILK 39F, CHOC MILK 43F, CHEESE 43F. STAFF JUST RECEIVED A DELIVERY AND DOORS HAVE BEEN OPEN FOR ROTATION

REACH IN: BUTTER 39, PORTIONED SALAD IN TO GO CONTAINERS 41F.

CLARK EQUIPMENT FRIDGE: MILK 40F

NO HOT HOLDING

QUAT 300PPM

DISHWASHER AT 158F, BUT HADN'T BEEN RUN MUCH YET TODAY

2 OUT OF 2 SERVE SAFE FOOD HANDLERS CARDS

DRY STORAGE, CLEAN, ORGANIZED, COVERED.

LIGHTS SHIELDED

Comments:

Site Report Generated: 6/23/2017 2:35:10 PM

Person In Charge

Inspection By: Jaime Craig

Establishment: 2970001

Page 2 of 15

Inspection Type: SEMI

Start Date/Time: 3/17/2016 at 12:16:17

Historical 3/17/2016

FOOD SERVICE INSPECTION REPORT

Page 2 of 15

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
TILLAMOOK SCHOOL DIST #9
EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Inspection Type: SEMI
Inspection Result: COMPLD
Establishment #: 2970001 Area: 70
Units: 0
County: 29

EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Phone: (503) 842-7544 x
Inspector: Mason Lyman

Start Date/Time: 3/17/2016 at 12:16:17 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND.

SEMIANNUAL INSPECTION OF FACILITY-

COLD HOLDING- TALL FRIDGE- AMBIENT 38F, WALKIN- SALAD 39F,

HAND SINKS OK/ WELL STOCKED
SHELVING SMOOTH/NON-ABSORBENT
TOXICS LABELED/ STORED WELL
SINGLE SERVICE OK/ PROTECTED
SCREENS ON WINDOWS
FREEZERS FROZEN
PROBE THERMOMETERS PRESENT
RESTROOMS OK/ MAINTAINED
DRY STORAGE UP
HOODS/VENTS OK
TALKED TO PIC ABOUT ALLERGIES, AND ILLNESS POLICY.
FOOD FROM APPROVED SOURCES
200 PPM QUAT SANITIZING SOLUTION
HIGH TEMP DISHWASHER- 164F.
NO CONSUMER ADVISORY NEEDED

Establishment: 2970001

Page 3 of 15

Inspection Type: SEMI

Start Date/Time: 3/17/2016 at 12:16:17

**PLEASE FILL GAP TO OUTSIDE DOOR IN CAFETERIA TO PREVENT RODENT ENTRANCE.

Site Report Generated: 6/23/2017 2:35:11 PM

Person In Charge

Inspection By: Mason Lyman

Page 3

Establishment: 2970001

Page 4 of 15

Inspection Type: SEMI

Start Date/Time: 9/25/2015 at 11:43:30

Historical 9/25/2015

FOOD SERVICE INSPECTION REPORT

Page 4 of 15

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
TILLAMOOK SCHOOL DIST #9
EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Inspection Type: SEMI
Inspection Result: COMPLD
Establishment #: 2970001 Area: 70
Units: 0
County: 29

EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Phone: (503) 842-7544 x
Inspector: Mason Lyman

Start Date/Time: 9/25/2015 at 11:43:30 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND.

INSPECTION OF FACILITY-
HAND SINKS OK/ WELL STOCKED
LIGHTS PROTECTED
CAN OPENER CLEAN
GOOD TEMPERATURE LOGS FOR FRIDGES/ FREEZERS/ DISHWASHER
MICROWAVES/OVENS CLEAN
TOXICS LABELED/ STORED WELL
NON-LATEX GLOVES USED
PROBE THERMOMETERS USED
HOODS/VENTS CLEAN
FREEZERS FROZEN
SINGLE SERVICE ITEMS OK
DRY STORAGE UP/OFF GROUND/ IN FOOD GRADE CONTAINERS
SHELVING SMOOTH/ EASILY CLEANABLE
HIGH TEMP DISHWASHER- 177F.
200 PPM QUAT SANITIZING BUCKETS
FOOD FROM APPROVED SOURCES
RESTROOMS CLEAN/ WELL MAINTAINED

Establishment: 2970001

Page 5 of 15

Inspection Type: SEMI

Start Date/Time: 9/25/2015 at 11:43:30

COLD HOLDING-

3 DOOR HOBART FRIDGE- SANWICH 39F

WALKIN- SALAD 40F, SALAD BAR- STRAWBERRY- 38F, MILK FRIDGE- 38F.

HOT HOLDING- FISH 140F, CHICKEN 150F.

Site Report Generated: 6/23/2017 2:35:11 PM

Person In Charge

Inspection By: Mason Lyman

Page 5

Establishment: 2970001

Page 6 of 15

Inspection Type: SEMI

Start Date/Time: 3/2/2015 at 11:49:11

Historical 3/2/2015

FOOD SERVICE INSPECTION REPORT

Page 6 of 15

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
TILLAMOOK SCHOOL DIST #9
EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Inspection Type: SEMI
Inspection Result: COMPLD
Establishment #: 2970001 Area: 70
Units: 0
County: 29

EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Phone: (503) 842-7544 x
Inspector: Mason Lyman

Start Date/Time: 3/2/2015 at 11:49:11 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND.

COLD HOLDING-

BUFFET LINE SANDWICH 46F (OUT FOR 10 MINUTES, THEN PROMPLTY BACK IN FRIDGE- OK)
TALL HOBART FRIDGE- CREAM CHEESE 37F
MILK FRIDGE- 40F
TALL MILK FRIDGE- 37F.
WALK IN- CARROTS 40F.

HOT HOLDING- PIZZA

HAND SINKS OK/ WELL STOCKED
CAN OPENERS CLEAN
BULK CONTAINERS LABELED
GOOD EMPLOYEE HANDWASHING OBSERVED
GOOD DEMONSTRATION OF KNOWLEDGE
HOODS/VENTS CLEAN
GOOD DATEMARKING PRACTICES
FREEZERS FROZEN
SINGLE SERVICE ITEMS PROTECTED
DRY STORAGE UP/COVERED
LIGHTS PROTECTED
PROBE THERMOMETERS PRESENT
FIRE EXTINGUISHERS PRESENT
SCOOPS/SNEEZE GUARD PROVIDED - OK
GOOD TEMPERATURE LOGS FOR FRRYZERS AND FRIDGES
SCREENS ON WINDOWS
TOXICS LABELED/ STORED WELL
RESTROOMS OK/ WELL STOCKED
REVIEWED COMMON FOOD ALLERGENS
200 PPM QUAT SANITIZER BUCKETS
163F HIGH TEMP DISHWASHER
COVERED/ PROTECTED LARGE ITEMS FOR CLEANING IN PLACE.

Establishment: 2970001
Inspection Type: SEMI

Page 7 of 15
Start Date/Time: 3/2/2015 at 11:49:11

Comments:

Site Report Generated: 6/23/2017 2:35:11 PM

Person In Charge

Inspection By: Mason Lyman

Page 7

Establishment: 2970001

Page 8 of 15

Inspection Type: SEMI

Start Date/Time: 9/16/2014 at 9:40:34

Historical 9/16/2014

FOOD SERVICE INSPECTION REPORT

Page 8 of 15

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141

(503) 842-3943

Owner Name:

TILLAMOOK SCHOOL DIST #9

EAST ELEMENTARY

3905 ALDER LANE

TILLAMOOK, OR 97141

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2970001 Area: 70

Units: 0

County: 29

EAST ELEMENTARY

3905 ALDER LANE

TILLAMOOK, OR 97141

Phone: (503) 842-7544 x

Inspector: Mason Lyman

Start Date/Time: 9/16/2014 at 9:40:34 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND.

UTENSILS OUT/HANDLES UP
LIGHTS PROTECTED
THERMOMETERS PROVIDED
RESTROOMS OK
NEW DISHWASHER AND OTHER EQIPMENT
DRY STORAGE UP OFF FLOOR/PROTECTED
GOOD OVERALL CLEANLINESS OF FLOORS/WALLS/CEILINGS
OUTER OPENINGS SEALED
CAN OPENERS CLEAN
PLUMBING HAS PROPER AIR GAPS
TOXICS LABELED/STORED SEPARATE
CONDIMENTS TABLE DONE TO PREVENT CONTAMINATION- GOOD
SCREENS ON WINDOWS
200 PPM QUAT SOLUTION
DISHWASHER AT 168F HIGH TEMP

COLD HOLDING-
LARGE HOBART FRIDGE- STRINGS CHEESE 40F
CATERIA MILK FRIDGE- 35F.
FREEZERS ALL FROZEN

BETWEEN BREAKFAST AND LUNCH HOURS.

**EMPLOYEE SAID THAT AFTER REMODEL, LOST SOME PAPERWORK, ONLY 1 FHC, EMPLOYEE WITHOUT FOOD HANDLER CARD AVIALABLE FOR INSPECTION WILL GET NEW ONE FROM DISTRICT OFFICE, OR BRAND NEW ONE. OLD ONE EXPIRED IN NOVEMBER.

Establishment: 2970001

Page 9 of 15

Inspection Type: SEMI

Start Date/Time: 9/16/2014 at 9:40:34

Comments:

Site Report Generated: 6/23/2017 2:35:11 PM

Person In Charge

Inspection By: Mason Lyman

Page 9

Historical 1/23/2014

FOOD SERVICE INSPECTION REPORT

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
TILLAMOOK SCHOOL DIST #9
EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Inspection Type: SEMI
Inspection Result: COMPLD
Establishment #: 2970001 Area: 70
Units: 0
County: 29

EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Phone: (503) 842-7544 x
Inspector: Alex Manderson
Start Date/Time: 1/23/2014 at 9:18:21 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND.

Food handler training provided.
Preparing chicken alfredo and cheese burgers for lunch. All meats pre-cooked. Re-heating to 165 in steam oven.
Coolers maintained at 36F. HACCP logs also record similar temps.
Quat sanitizer provided at 200 ppm. Test strips provided.
Observed good handwashing.

* HACCP logs are not provided for 2014 and record keeping not being maintained since Christmas break.

6-201.11

VIOLATION OF SECTION 6-201.11 Floors, floor coverings, walls, wall coverings and ceilings are not designed, constructed and installed to be smooth and easily cleanable, specifically:

FLOORS AROUND DISH WASHER IN POOR REPAIR.

REQUIRED CORRECTION: Floors, floor coverings, walls, wall coverings and ceilings shall be designed, constructed and installed so they are smooth and easily cleanable.

6-501.19

VIOLATION OF SECTION 6-501.19 Toilet rooms are not kept closed, specifically:

TOILET ROOM DOOR OPEN. CORRECTED DURING INSPECTION.

REQUIRED CORRECTION: Toilet room doors shall be kept closed except during cleaning and maintenance operations.

Establishment: 2970001

Page 11 of 15

Inspection Type: SEMI

Start Date/Time: 1/23/2014 at 9:18:21

Comments:

Site Report Generated: 6/23/2017 2:35:11 PM

Person In Charge

Inspection By: Alex Manderson

Page 11

Establishment: 2970001

Page 12 of 15

Inspection Type: SEMI

Start Date/Time: 10/15/2013 at 3:01:33

Historical 10/15/2013

FOOD SERVICE INSPECTION REPORT

Page 12 of 15

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
TILLAMOOK SCHOOL DIST #9
EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Inspection Type: SEMI
Inspection Result: COMPLD
Establishment #: 2970001 Area: 70
Units: 0
County: 29

EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Phone: (503) 842-7544 x
Inspector: Melissa Kauffman

Start Date/Time: 10/15/2013 at 3:01:33 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND.

THE PURPOSE OF THIS VISIT IS A SEMI ANNUAL INSPECTION.

REFRIGERATOR IS 41F SANDWICH
HANDWASHING OPEN AND ACCESSIBLE
GLOVES ARE USED FOR BARE HAND CONTACT
SANITIZER 100PPM QUAT
HIGH TEMP DISHWASHER AND SANITIZER 100QUAT
GLOVES ARE UESD FOR BARE HAND CONTACT
WALKIN 41F JUICE
MILK FRIDGE 41F MILK
THERMOMETER PROVIDED
NO VIOLATIONS

Comments:

Site Report Generated: 6/23/2017 2:35:11 PM

Person In Charge

Inspection By: Melissa Kauffman

Page 12

Establishment: 2970001

Page 13 of 15

Inspection Type: SEMI

Start Date/Time: 4/11/2013 at 10:04:09

Historical 4/11/2013

FOOD SERVICE INSPECTION REPORT

Page 13 of 15

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
TILLAMOOK SCHOOL DIST #9
EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Inspection Type: SEMI
Inspection Result: COMPLD
Establishment #: 2970001 Area: 70
Units: 0
County: 29

EAST ELEMENTARY
3905 ALDER LANE
TILLAMOOK, OR 97141

Phone: (503) 842-7544 x
Inspector: Melissa Kauffman

Start Date/Time: 4/11/2013 at 10:04:09 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND.

THE PURPOSE OF THIS VISIT IS A SEMI ANNUAL INSPECTION.

GOOD HANDWASHING
SINKS ARE OPEN AND ACCESSIBLE
GLOVES ARE USED TO MINIMIZE BARE HAND CONTACT
NOODLES ARE COOKED WELL ABOVE 200F
DISHWASHER IS HIGH TEMP AND SANITIZER IS ABOVE 50PPM
PROBE THERMOMETERS ARE PROVIDED
DISPLAY THERMOMETERS ARE AVAILABLE IN ALL COLD HOLDING UNITS
ALL COLD HOLDING REFRIGERATORS ARE WELL BELOW 41F AND GOOD RECORD KEEPING.
FLOORS AND NON FOOD CONTACT SURFACES ARE IN GOOD REPAIR
FOOD CONTACT SURFACES SUCH AS CUTTING BOARDS AND KNIVES ARE CLEAN AND IN GOOD
CONDITION
GOOD DEMONSTRATION OF KNOWLEDGE
THERE ARE NO VIOLATIONS AT THIS TIME THANK YOU!

Comments:

Site Report Generated: 6/23/2017 2:35:11 PM

Person In Charge

Inspection By: Melissa Kauffman

Page 13

Establishment: 2970001

Page 14 of 15

Inspection Type: SEMI

Start Date/Time: 9/14/2012 at 8:26:00

Historical 9/14/2012

FOOD SERVICE INSPECTION REPORT

Page 14 of 15

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141

(503) 842-3943

Owner Name:

TILLAMOOK SCHOOL DIST #9

EAST ELEMENTARY

3905 ALDER LANE

TILLAMOOK, OR 97141

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2970001 Area: 70

Units: 0

County: 29

EAST ELEMENTARY

3905 ALDER LANE

TILLAMOOK, OR 97141

Phone: (503) 842-7544 x

Inspector: Melissa Kauffman

Start Date/Time: 9/14/2012 at 8:26:00 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND.

THE PURPOSE OF THIS VISIT IS A SEMI ANNUAL INSPECTION. THE KITCHEN HAS JUST FINISHED SERVING BREAKFAST AT THIS TIME.

COLD HOLDING ITEMS CHECKED

GREEN REFRIGERATORS FROM LEFT TO RIGHT

41F, 41F, 38F

WALK IN: 38F CHEESE

MILK REFRIGERATOR: 41F MILK

FREEZERS LOOK GOOD

FANS ARE CLEAN

THERMOMETERS PROVIDED

GOOD DATE MARKING

HIGHT TEMP DISHWASHER TESTED AT 50PPM BL AND GREATER THAN 180F

DRY STORAGE IS PROPERLY STORED

SANITIZER TESTED AT 50PPM BL

HOOD IS CLEAN

HANDWASHING SINKS ARE OPEN AND ACCESSABLE

GOOD EMPLOYEE HANDWASHING

RESTROOMS ARE IN GOOD REPAIR

FOOD CONTACT SURFACES ARE PROPERLY SANITIZED

NON FOOD CONTACT SURFACES ARE IN GOOD REPAIR

FOOD HANDLER CERTIFICATES PROVIDED

PIC HAS GOOD DEMONSTRATION OF KNOWLEDGE

THERE ARE NO VIOLATIONS AT THIS TIME THANK YOU!

Establishment: 2970001

Page 15 of 15

Inspection Type: SEMI

Start Date/Time: 9/14/2012 at 8:26:00

Comments:

Site Report Generated: 6/23/2017 2:35:11 PM

Person In Charge

Inspection By: Melissa Kauffman

Page 15