

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943

Owner Name:
KELLEY COOK
KELLEY'S PLACE
210 3RD ST
GARIBALDI, OR 97118

Inspection Type: REINSP
Inspection Result: COMPLD
Establishment #: 2900111A Area: 01
Units: 75
County: 29

KELLEY'S PLACE
PO BOX 563
GARIBALDI, OR 97118

Phone: (503) 322-4310 x
Inspector: Jaime Craig

Start Date/Time: 11/17/2016 at 9:15:57 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND UNDER ORS 624 AND OAR 333-150. SUCH VIOLATIONS MAY RESULT IN DENIAL, SUSPENSION, OR REVOCATION OF YOUR LICENSE; OR CLOSURE OF THE FOOD SERVICE FACILITY MAY RESULT FROM UNCORRECTED VIOLATIONS OR FAILURE TO MAINTAIN THE MINIMUM ACCEPTABLE SCORE. YOU MAY OBTAIN A CONTESTED CASE HEARING FOR ANY DENIAL, SUSPENSION OR CLOSURE BY CONTACTING THE LICENSING AGENCY. SUCH HEARINGS ARE IN ACCORDANCE WITH ORS CHAPTER 183.

Comments:

Informational

99E

PRIORITY OR PRIORITY FOUNDATION ITEMS CORRECTED

All priority and priority foundation violations have been corrected.

**CONSUMER ADVISORY ON MENU. GARBAGE CAN REMOVED FROM IN FRONT OF
HAND WASH SINK.**

Comments:

Site Report Generated: 6/21/2017 1:40:25 PM

Person In Charge

Inspection By: Jaime Craig

Establishment: 2900111A
Inspection Type: REINSP

Page 2 of 9
Start Date/Time: 11/14/2016 at 10:32:43

Historical 11/14/2016

FOOD SERVICE INSPECTION REPORT

Page 2 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
KELLEY COOK
KELLEY'S PLACE
210 3RD ST
GARIBALDI, OR 97118

Inspection Type: REINSP
Inspection Result: CONTIN
Establishment #: 2900111A Area: 01
Units: 75
County: 29

KELLEY'S PLACE
PO BOX 563
GARIBALDI, OR 97118

Phone: (503) 322-4310 x
Inspector: Jaime Craig

Start Date/Time: 11/14/2016 at 10:32:43 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND UNDER ORS 624 AND OAR 333-150. SUCH VIOLATIONS MAY RESULT IN DENIAL, SUSPENSION, OR REVOCATION OF YOUR LICENSE; OR CLOSURE OF THE FOOD SERVICE FACILITY MAY RESULT FROM UNCORRECTED VIOLATIONS OR FAILURE TO MAINTAIN THE MINIMUM ACCEPTABLE SCORE. YOU MAY OBTAIN A CONTESTED CASE HEARING FOR ANY DENIAL, SUSPENSION OR CLOSURE BY CONTACTING THE LICENSING AGENCY. SUCH HEARINGS ARE IN ACCORDANCE WITH ORS CHAPTER 183.

CALLED AND SPOKE WITH DEB ON 10/17/16 ABOUT HOOD INSTALATION DATE- IT WAS UNKNOWN AT TIME OF CALL. ASKED ABOUT HOOD INSTALATION TODAY- NO DATE KNOWN.

Priority Foundation Double Points for Repeat 3-603.11

VIOLATION OF SECTION 3-603.11 *PRIORITY FOUNDATION* A consumer advisory is not provided, is not presented in the correct format, or does not contain the required information, specifically:

NO CONSUMER ADVISORY ON MENU.

REQUIRED CORRECTION: CORRECT IMMEDIATELY. A facility that serves or sells animal foods raw, partially cooked or without otherwise being processed to eliminate pathogens either in a ready-to-eat form or as an ingredient in another ready-to-eat food shall

THIS IS A CLOSING VIOLATION

Priority Foundation Double Points for Repeat 5-205.11

VIOLATION OF SECTION 5-205.11 *PRIORITY FOUNDATION* A handwashing sink is not accessible for employee use at all times, is used for purposes other than handwashing or is not operated properly, specifically:

GARBAGE CAN BLOCKING FRONT OF HAND WASH SINK

REQUIRED CORRECTION: CORRECT IMMEDIATELY. Handwashing sinks shall be accessible at all times for employee use and not used for other purposes. An automatic handwashing sink shall be used in accordance with manufacturer's instructions.

STAFF MOVED CAN AND EXPLAINED IT HAS TO BE CLEAR AT ALL TIMES

Establishment: 2900111A

Page 3 of 9

Inspection Type: REINSP

Start Date/Time: 11/14/2016 at 10:32:43

Comments:

Site Report Generated: 6/21/2017 1:40:26 PM

Person In Charge

Inspection By: Jaime Craig

Page 3

Historical 9/13/2016

FOOD SERVICE INSPECTION REPORT

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141

(503) 842-3943

Owner Name:
KELLEY COOK
KELLEY'S PLACE
210 3RD ST
GARIBALDI, OR 97118

KELLEY'S PLACE
PO BOX 563
GARIBALDI, OR 97118

Priority/Priority Foundation Score: 91
Core Item Total: 2

Inspection Type: SEMI
Inspection Result: CONTIN
Establishment #: 2900111A Area: 01
Units: 75
County: 29

Phone: (503) 322-4310 x

Inspector: Jaime Craig

Start Date/Time: 9/13/2016 at 2:38:34 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND UNDER ORS 624 AND OAR 333-150. SUCH VIOLATIONS MAY RESULT IN DENIAL, SUSPENSION, OR REVOCATION OF YOUR LICENSE; OR CLOSURE OF THE FOOD SERVICE FACILITY MAY RESULT FROM UNCORRECTED VIOLATIONS OR FAILURE TO MAINTAIN THE MINIMUM ACCEPTABLE SCORE. YOU MAY OBTAIN A CONTESTED CASE HEARING FOR ANY DENIAL, SUSPENSION OR CLOSURE BY CONTACTING THE LICENSING AGENCY. SUCH HEARINGS ARE IN ACCORDANCE WITH ORS CHAPTER 183.

PERSON IN CHARGE EASILY FOUND

COLD HOLDING:

PREPTOP AGAINST BAR WALL:

LETTUCE 31F

SLICED TOMATOES 31F

UNDER PREP TOP:

PRIME RIB 37F

2ND PREP TOP:

COOKED POTATOES 41F

SAUSAGE PATTIES 37F

UNDER PREP TOP:

SHRIMP 41F

NO HOT HOLDING

MICROWAVE CLEAN

DISHWASHER GOOD

RESTROOMS CLEAN AND WELL STOCKED

BURGERS BBQ OUTSIDE-GOOD

CHEMICALS ALL SEPARATE AND LABELED

DRY STORAGE COVERED AND LABELED

**MEAT/FISH/SHRIMP IN PREP FRIDGE NEEDS TO BE STORED ON BOTTOM SHELF OR ON SEPARATE SIDE FROM ALL OTHER FOODS.

**COOK UNABLE TO FIND THERMOMETER. PLEASE HAVE THIN TIPPED THERMOMETER AVAILABLE FOR PROPER COOKING TEMP READINGS.

BAR TAPS CLEAN

**FOOD HANDLER CARDS MUST BE ON SITE AND PRESENTED WHEN ASKED. COOK AND BARTENDER SAY THEY HAVE THEM, BUT DO NOT HAVE PROOF ON SITE.

Inspection Type: SEMI

Start Date/Time: 9/13/2016 at 2:38:34

Priority Foundation

3-603.11

3 Points

VIOLATION OF SECTION 3-603.11 *PRIORITY FOUNDATION* A consumer advisory is not provided, is not presented in the correct format, or does not contain the required information, specifically:

REQUIRED CORRECTION: CORRECT IMMEDIATELY. A facility that serves or sells animal foods raw, partially cooked or without otherwise being processed to eliminate pathogens either in a ready-to-eat form or as an ingredient in another ready-to-eat food shall

Priority Foundation

5-205.11

3 Points

VIOLATION OF SECTION 5-205.11 *PRIORITY FOUNDATION* A handwashing sink is not accessible for employee use at all times, is used for purposes other than handwashing or is not operated properly, specifically:

HANDWASH SINK BLOCKED BY GARBAGE CAN IN FRONT OF SINK

REQUIRED CORRECTION: CORRECT IMMEDIATELY. Handwashing sinks shall be accessible at all times for employee use and not used for other purposes. An automatic handwashing sink shall be used in accordance with manufacturer's instructions.

HANDWASH SINK MUST BE CLEAR AT ALL TIMES FOR ACCESS TO SINK TO WASH HANDS**Priority Foundation**

6-301.12

3 Points

VIOLATION OF SECTION 6-301.12 *PRIORITY FOUNDATION* Hand towels or a hand drying device is not provided at the handwashing sink, specifically:

HANDWASH SINK WAS OUT OF TOWELS AND PAPER TOWEL ROLL PLACED ON TOP OF MACHINE

REQUIRED CORRECTION: CORRECT IMMEDIATELY. Each handwashing sink or group of adjacent handwashing sinks shall be provided with a supply of individual disposable towels, a continuous towel system that supplies the user with a clean towel, or a heated-air ha

MUST HAVE CONTINUOUS FEED AND TOWELS MUST BE STOKED**Core**

4-301.14

VIOLATION OF SECTION 4-301.14 Ventilation hood systems and devices are not sufficient in number and capacity to prevent grease or condensation, specifically:

NO HOOD AVAILABLE

REQUIRED CORRECTION: Ventilation hood systems and devices shall be sufficient in number and capacity to prevent grease or condensation from collecting on walls and ceilings.

PLEASE PROVIDE HOOD**Core**

6-202.15(A)(D)

VIOLATION OF SECTION 6-202.15(A)(D) Outer openings and windows in the establishment are not constructed or protected to prevent the entrance of insects and rodents, specifically:

OUTER DOOR'S PROPPED OPEN-ALL

REQUIRED CORRECTION: Outer openings of the food establishment shall be protected against the entry of insects and rodents by: 1) Filling or closing holes and other gaps along floors, walls, and ceilings; 2) Closed, tight-fitting windows; and, 3) Solid, se

DOORS NEEDS TO HAVE SCREENS OR BE CLOSED TO PREVENT INSECTS AND RODENTS FROM ENTERING THE FACILITY.

Establishment: 2900111A

Page 6 of 9

Inspection Type: SEMI

Start Date/Time: 9/13/2016 at 2:38:34

Comments:

Site Report Generated: 6/21/2017 1:40:26 PM

Person In Charge

Inspection By: Jaime Craig

Page 6

Establishment: 2900111A

Page 7 of 9

Inspection Type: PREOP

Start Date/Time: 5/31/2016 at 2:53:52

Historical 5/31/2016

FOOD SERVICE INSPECTION REPORT

Page 7 of 9

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141

(503) 842-3943

Owner Name:

KELLEY COOK

KELLEY'S PLACE

210 3RD ST

GARIBALDI, OR 97118

Inspection Type: PREOP

Inspection Result: COMPLD

Establishment #: 2900111A Area: 01

Units: 75

County: 29

KELLEY'S PLACE

PO BOX 563

GARIBALDI, OR 97118

Phone: (503) 322-4310 x

Inspector: Annette Pampush

Start Date/Time: 5/31/2016 at 2:53:52 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND UNDER ORS 624 AND OAR 333-150. SUCH VIOLATIONS MAY RESULT IN DENIAL, SUSPENSION, OR REVOCATION OF YOUR LICENSE; OR CLOSURE OF THE FOOD SERVICE FACILITY MAY RESULT FROM UNCORRECTED VIOLATIONS OR FAILURE TO MAINTAIN THE MINIMUM ACCEPTABLE SCORE. YOU MAY OBTAIN A CONTESTED CASE HEARING FOR ANY DENIAL, SUSPENSION OR CLOSURE BY CONTACTING THE LICENSING AGENCY. SUCH HEARINGS ARE IN ACCORDANCE WITH ORS CHAPTER 183.

FACILITY IS WAITING FOR APPROVAL FROM BUILDING DEPT. LEONARD FROM DCD CALLED ME AND SAID THEY HAVE CONDITIONAL APPROVAL
ALL ITEMS FROM FIRST PREOP HAVE BEEN CORRECTED
PEST CONTROL SCHEDULED FOR 5/23
STILL HAVE RAW WOOD IN SOME PLACES

Comments:

Site Report Generated: 6/21/2017 1:40:26 PM

Inspection By: Annette Pampush

Page 7

Historical 5/17/2016

FOOD SERVICE INSPECTION REPORT

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:

KELLEY COOK

KELLEY'S PLACE

210 3RD ST

GARIBALDI, OR 97118

Inspection Type: PREOP

Inspection Result: COMPLD

Establishment #: 2900111A Area: 01

Units: 75

County: 29

KELLEY'S PLACE

PO BOX 563

GARIBALDI, OR 97118

Phone: (503) 322-4310 x

Inspector: Annette Pampush

Start Date/Time: 5/17/2016 at 9:20:30 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND UNDER ORS 624 AND OAR 333-150. SUCH VIOLATIONS MAY RESULT IN DENIAL, SUSPENSION, OR REVOCATION OF YOUR LICENSE; OR CLOSURE OF THE FOOD SERVICE FACILITY MAY RESULT FROM UNCORRECTED VIOLATIONS OR FAILURE TO MAINTAIN THE MINIMUM ACCEPTABLE SCORE. YOU MAY OBTAIN A CONTESTED CASE HEARING FOR ANY DENIAL, SUSPENSION OR CLOSURE BY CONTACTING THE LICENSING AGENCY. SUCH HEARINGS ARE IN ACCORDANCE WITH ORS CHAPTER 183.

FACILITY IS NOT READY TO OPEN AT THIS TIME. ONCE OPEN IT WILL JUST BE THE BAR AND SOME SANDWICHES. WAITING FOR HOOD TO BE INSTALLED BEFORE FULL MENU GOES ONLINE

AT THIS TIME, ONE PREP UNIT ON AT 37F
DISHWASHER AT 100 PPM
CONSUMER ADVISORY ON MENU
RESTROOMS HAVE SINK WITH TOWELS/SOAP

ITEMS TO BE COMPLETED PRIOR TO PARTIAL OPENING:
COVE BASE THROUGHOUT FACILITY
MOP HANGER INSTALLED
COLD HOLDING UNITS ALL INSTALLED AND PLUGGED IN
ALL WALLS- RAW WOOD, DRY WALL, HOLES NEED TO BE SEALED AND OR PAINTED TO BE EASILY CLEANABLE
CUTBOARDS NEED SANDING
FLOOR TO RECEIVE ANOTHER COATING/SEALER
ALL EXCESS EQUIPEMENT TO BE MOVED OUT OF THE WORK AREAS
BBQ TO BE INSTALLED OUT ON DECK
FIRE DEPT WILL NEED TO ISSUE OCCUPANCY AND HOOD PERMIT
CURRENT HOT WATER HEATER WILL BE REPLACED WITH ON DEMAND UNIT AT A LATER TIME
RECOMMEND PEST CONTROL OR DEVICES FOR MANAGEMENT OF PESTS
HANDICAP RESTROOM NEEDS TOILET REPLACED OR DRAIN COVERED/REMOVED
EQUIPMENT SHOULD ALL BE CLEANED OR GREASE/DEBRIS
PAPER TOWEL HOLDERS TO BE INSTALLED AT ALL
BAR AREA NEEDS REFRIGERATION, HANDWASH SET UP INSTALLED

Establishment: 2900111A

Page 9 of 9

Inspection Type: PREOP

Start Date/Time: 5/17/2016 at 9:20:30

Comments:

Site Report Generated: 6/21/2017 1:40:26 PM

Person In Charge

Inspection By: Annette Pampush

Page 9