

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943

Owner Name:
GEOFFREY & PATT WILLIAMS
PACIFIC CITY INN, INC
35280 BROOTEN RD
PACIFIC CITY, OR 97135

Inspection Type: ANNUAL
Inspection Result: COMPLD
Establishment #: 2910023 Area: 30
Units: 18
County: 29

PACIFIC CITY INN, INC
35280 BROOTEN RD
PACIFIC CITY, OR 97135

Phone: (503) 965-6464 x
Inspector: Jaime Craig

Start Date/Time: 11/2/2016 at 2:57:27 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

PERSON IN CHARGE EASILY FOUND
16 ROOMS-CHECKED #23 AND #11
SOME PET FRIENDLY ROOMS-CARPETS SHAMPOOED AND ALL LINENS LAUNDERED IN THESE ROOMS AFTER PET STAY
BATHROOM-HOT WATER/CLEAN/GOOD VENTILATION
MATTRESS PADS ON BEDS/LINENS CLEAN
SCREENS ON WINDOWS
MICROWAVE CLEAN/FRIDGES COLD AND CLEAN
GARBAGE SERVICE 1 TIME A WEEK
**SMOKE DETECTOR IN ROOM #23 BEEPING. PLEASE REPLACE BATTERY OR UNIT.
LAUNDRY ROOM:
SHELVES AND WALLS SEALED
GOOD SEPARATION OF CLEAN AND DIRTY LAUNDRY
LIGHT BULBS ARE PLASTIC
CHEMICALS STORED CORRECTLY AND LABELED
STAIRWAYS HAVE SOLID HANDRAILS
FIRE EXTINGUISHERS WITHIN 75FT OF ROOMS

333-029-0110(2)

Violation of OAR 333-029-0110 (2) The utensils or equipment provided for traveler's accommodations are not easily cleanable or not in good repair.

PANS-DISHES

Keep all utensils and equipment easily cleanable and in good repair according to OAR 333-150-0000 Parts 4-6 and 4-7.

THREW OUT SMALL PAN WITH MOST OF TEFLON MISSING-MULTIPLE DISHES ARE CHIPPED (BOWLS PLATES) PLEASE REPLACE

Establishment: 2910023
Inspection Type: ANNUAL

Page 2 of 9
Start Date/Time: 11/2/2016 at 2:57:27

Comments:

Site Report Generated: 6/23/2017 10:18:13 AM

Person In Charge

Inspection By: Jaime Craig

Page 2

Establishment: 2910023

Page 3 of 9

Inspection Type: ANNUAL

Start Date/Time: 11/6/2015 at 2:38:42

Historical 11/6/2015

HOTEL/MOTEL INSPECTION REPORT

Page 3 of 9

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141

(503) 842-3943

Owner Name:

GEOFFREY & PATT WILLIAMS

PACIFIC CITY INN, INC

35280 BROOTEN RD

PACIFIC CITY, OR 97135

Inspection Type: ANNUAL

Inspection Result: COMPLD

Establishment #: 2910023 Area: 30

Units: 18

County: 29

PACIFIC CITY INN, INC

35280 BROOTEN RD

PACIFIC CITY, OR 97135

Phone: (503) 965-6464 x

Inspector: Mason Lyman

Start Date/Time: 11/6/2015 at 2:38:42 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

ANNUAL INSPECTION OF FACILITY-

16 ROOMS TOTAL- CHECK ROOMS #22, 23.

- ADEQUATE HOT WATER
- MATTRESS PADS/CLEAN SHEETS ON BEDS
- NO MOLD/MILDEW IN ROOMS
- NO EVIDENCE OF RODENTS/PESTS IN FACILITY
- FIRE EXT. WITHIN 75 FEET OF ALL ROOMS
- MICROWAVES CLEAN
- FRIDGES COLD
- STAIRWAYS SOLID
- SHELVING SMOOTH/NON-ABSORBENT
- GOOD SEPARATION BETWEEN DIRTY AND CLEAN LINENS
- OUTSIDE OF BUILDINGS VERY CLEAN AND IN GREAT CONDITION.

Establishment: 2910023

Page 4 of 9

Inspection Type: ANNUAL

Start Date/Time: 11/6/2015 at 2:38:42

**OBTAINED SHATTER PROOF LIGHT BULBS FOR LAUNDRY ROOMS DURING INSPECTION.

**NO BATTERIES IN SMOKE DETECTORS IN ROOM 23, PLEASE REPLACE.

**REPLACE SCREEN IN LAUNDRY ROOM WINDOW.

Site Report Generated: 6/23/2017 10:18:13 AM

Person In Charge

Inspection By: Mason Lyman

Page 4

Establishment: 2910023
Inspection Type: ANNUAL

Page 5 of 9
Start Date/Time: 11/21/2014 at 2:32:41

Historical 11/21/2014

HOTEL/MOTEL INSPECTION REPORT

Page 5 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
GEOFFREY & PATT WILLIAMS
PACIFIC CITY INN, INC
35280 BROOTEN RD
PACIFIC CITY, OR 97135

Inspection Type: ANNUAL
Inspection Result: COMPLD
Establishment #: 2910023 Area: 30

Units: 18
County: 29

PACIFIC CITY INN, INC
35280 BROOTEN RD
PACIFIC CITY, OR 97135

Phone: (503) 965-6464 x

Inspector: Mason Lyman

Start Date/Time: 11/21/2014 at 2:32:41 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

16 ROOMS TOTAL-
INSPECTED ROOMS 14 AND 24.
ADEQUATE HOT WATER
MATTRESS PADS ON BEDS
CLEAN SHEETS PROVIDED
BATHROOMS CLEAN/NO MOLD MILDEW PRESENT
SCREENS ON WINDOWS
MICROWAVES/OVENS CLEAN
FRIDGE AND FREEZER KEPT COLD
NO EVIDENCE OF RODENTS/PESTS
GARAGE CLEAN/UP OFF THE FLOOR/PROTECTED
LAUNDRY ROOM-
SHELVES SMOOTH AND CLEANABLE
CHEMICALS HAVE LABELS/STORED BELOW FOR SAFETY
GOOD SEPARATION BETWEEN CLEAN AND DIRTY LINENS
STAIRWAYS ARE SOLID AND STURDY
FIRE EXTINGUISHERS LOCATED WITHIN 75 FEET OF ALL ROOMS

Establishment: 2910023

Page 6 of 9

Inspection Type: ANNUAL

Start Date/Time: 11/21/2014 at 2:32:41

****PLEASE PROVIDE SHATTERPROOF LIGHT BULBS IN LAUNDRY AREA, OR PROVIDE SHIELD/COVER FOR BULBS TO PREVENT BREAKAGE.**

****2 OR THE 3 SMOKE DETECTORS IN THE ROOMS DO NOT WORK. PLEASE REPLACE BATTERIES AND KEEP CHECK BATTERIES THROUGHOUT THE ROOMS ON A REGULAR SCHEDULE.**

Site Report Generated: 6/23/2017 10:18:13 AM

Person In Charge

Inspection By: Mason Lyman

Page 6

Establishment: 2910023
Inspection Type: ANNUAL

Page 7 of 9
Start Date/Time: 8/30/2013 at 11:15:53

Historical 8/30/2013

HOTEL/MOTEL INSPECTION REPORT

Page 7 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
GEOFFREY & PATT WILLIAMS
PACIFIC CITY INN, INC
35280 BROOTEN RD
PACIFIC CITY, OR 97135

Inspection Type: ANNUAL
Inspection Result: COMPLD
Establishment #: 2910023 Area: 30

Units: 18
County: 29

PACIFIC CITY INN, INC
35280 BROOTEN RD
PACIFIC CITY, OR 97135

Phone: (503) 965-6464 x
Inspector: Melissa Kauffman

Start Date/Time: 8/30/2013 at 11:15:53 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THE PURPOSE OF THIS VISIT IS AN ANNUAL INSPECTION.

LAUNDRY ROOM IN GOOD REPAIR
LIGHTS ARE PROTECTED
LINENS ARE PROPERLY STORED WITH GOOD SEPARATION BETWEEN CLEAN AND SOILED
CHEMICALS ARE OFF THE GROUND AND PROTECTED

TWO ROOMS WERE INSPECTED
KITCHENET HAS SIGNS FOR PATRON DISHWASHING
DISHES THAT WERE CHECKED ARE IN GOOD REPAIR
MATRESS PADS ON BEDS AND IN GOOD CONDITION
WORKING SMOKE DETECTORS
GOOD VENTILATION IN BATHROOMS
FIRE EXTINGUISHER WITH 75FT.

THERE ARE NO VIOLATIONS AT THIS TIME, THANK YOU!

Establishment: 2910023
Inspection Type: ANNUAL

Page 8 of 9
Start Date/Time: 8/30/2013 at 11:15:53

Comments:

Site Report Generated: 6/23/2017 10:18:13 AM

Person In Charge

Inspection By: Melissa Kauffman

Page 8

Establishment: 2910023
Inspection Type: ANNUAL

Page 9 of 9
Start Date/Time: 9/28/2012 at 1:00:26

Historical 9/28/2012

HOTEL/MOTEL INSPECTION REPORT

Page 9 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
GEOFFREY & PATT WILLIAMS
PACIFIC CITY INN, INC
35280 BROOTEN RD
PACIFIC CITY, OR 97135

Inspection Type: ANNUAL
Inspection Result: COMPLD
Establishment #: 2910023 Area: 30
Units: 18
County: 29

PACIFIC CITY INN, INC
35280 BROOTEN RD
PACIFIC CITY, OR 97135

Phone: (503) 965-6464 x
Inspector: Melissa Kauffman

Start Date/Time: 9/28/2012 at 1:00:26 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THE PURPOSE OF THIS VISIT IS A SEMI ANNUAL INSPECTION.

TWO ROOMS WERE INSPECTED
MATRESS PADS ON BEDS
LINENS ARE CLEAN
WORKING SMOKE DETECTORS
FIRE EXTINGUISHERS LOCATED WITHIN 75'
DISHES THAT WERE CHECKED ARE IN GOOD REPAIR
SIGNS ARE PROVIDED FOR PATRON DISHWASHING
GOOD VENTILATION IN BATHROOMS

LAUDRY ROOM IS IN GOOD REPAIR
GOOD SEPARATION OF CLEAN AND SOILED LINENS
CHEMICLES ARE PROPERLY STORED

PLEASE PROVIDE SHATTER PROOF LIGHT BUILBS IN LAUNDRY ROOM

Site Report Generated: 6/23/2017 10:18:13 AM

Person In Charge

Inspection By: Melissa Kauffman

Page 9