

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943

Owner Name:

SHILO INN TILLAMOOK, LLC
SHILO INN TILLAMOOK
2515 MAIN AVE N
TILLAMOOK, OR 97141

Inspection Type: BIANUL
Inspection Result: COMPLD
Establishment #: 2910164 Area: 30
Units: 100
County: 29

SHILO INN TILLAMOOK
11600 SW SHILO LN
PORTLAND, OR 97225

Phone: (503) 842-7971 x
Inspector: Jaime Craig

Start Date/Time: 8/29/2016 at 1:57:14 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

ROOMS 121,139, 228,220,246,207,200,147,151,256.
MATTRESS PADS ON BEDS, SHEETS CLEAN
ALL WINDOWS HAVE SCREENS
MICROWAVE/FRIDGE CLEAN
MAINTENANCE SAYS SMOKE DETECTORS TESTED TWICE A MONTH, AND BATTERIES REPLACED YEARLY
**ROOM 149 SMOKE DETECTOR NOT OPERATIONAL, ALL OTHERS FINE
** ICE MACHINE SHUTE NEEDS REGULAR WIPE DOWN
LAUNDRY ROOM:
LIGHT BULBS PROTECTED
CHEMICALS SEPERATED
DIRTY/CLEAN LINENS SEPERATE
APPROPRIATE FIRE EXHINGUISHERS IN PLACE
DISHWASHER USED FOR CUPS AND PLATE CLEANING IN BETWEEN ROOM USE.
THANK YOU!

Comments:

Site Report Generated: 6/23/2017 3:58:30 PM

Establishment: 2910164
Inspection Type: ANNUAL

Page 2 of 9
Start Date/Time: 11/2/2015 at 4:00:13

Historical 11/2/2015

HOTEL/MOTEL INSPECTION REPORT

Page 2 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
SHILO INN TILLAMOOK, LLC
SHILO INN TILLAMOOK
2515 MAIN AVE N
TILLAMOOK, OR 97141

Inspection Type: ANNUAL
Inspection Result: COMPLD
Establishment #: 2910164 Area: 30
Units: 100
County: 29

SHILO INN TILLAMOOK
11600 SW SHILO LN
PORTLAND, OR 97225

Phone: (503) 842-7971 x
Inspector: Mason Lyman

Start Date/Time: 11/2/2015 at 4:00:13 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

ANNUAL INSPECTION OF HOTEL-
101 ROOMS TOTAL - CHECK 10 ROOMS
#125,110,122,233,149,246,250,115,238,AND 204.

ROOMS SUPPLIES WITH HOT WATER.
MATTRESS PADS ON BEDS
CLEEN SHEETS ARE FREE OF DEBRIS
SMOKE DETECTORS OPERATING IN EACH ROOM
BATHROOMS HAVE ADEQUATE VENTILATION
MICROWAVES CLEAN/FRIDGES COLD
NO EVIDENCE OF RODENTS/ PESTS/MOLD/MILDEW
GARBAGE COLLECTION AREA SAFE/COVERED
DUMPSTER EMPTIED AT REGULAR INTERVAL
STAIRWAYS WITH SOLID HANDRAILS
FIRE EXT. 75 FEET FROM EACH ROOM
OUTSIDE OF BUILDING IN GOOD REPAIR
ICE MACHINES CLEAN
LIGHT BULBS SHIELDED
TOXICS LABELED /STORED WELL
GOOD SEPARATION BETWEEN DIRTY AND CLEAN LINENS
CLEAN FISH HOUSE/STATION

**TALKED TO STAFF ABOUT PROPER GLOVE USE, AND RECOMMEND OF TYPES OF GLOVES IN DIFFERENT SITUATIONS.
**RECOMMEND COVERING WORN AREAS OF LAUNDRY SHELIVING TO MAKE AREA SMOOTH, EASILY CLEANABLE, AND NON-ABSORBENT.

Establishment: 2910164

Page 3 of 9

Inspection Type: ANNUAL

Start Date/Time: 11/2/2015 at 4:00:13

333-029-0045(5)(a)

Violation of OAR 333-029-0045 (5)(a) The openable windows in the bathrooms, toilet rooms, laundry room or similar rooms are not screened.

NO SCREEN ON WINDOW IN ROOM 204.

Screen all openable windows in the aforementioned room(s) to comply with OAR 333-029-0045 (5)(a).

PLEASE CORRECT.

Comments:

Site Report Generated: 6/23/2017 3:58:30 PM

Person In Charge

Inspection By: Mason Lyman

Page 3

Establishment: 2910164
Inspection Type: ANNUAL

Page 4 of 9
Start Date/Time: 9/22/2014 at 2:12:55

Historical 9/22/2014

HOTEL/MOTEL INSPECTION REPORT

Page 4 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
SHILO INN TILLAMOOK, LLC
SHILO INN TILLAMOOK
2515 MAIN AVE N
TILLAMOOK, OR 97141

Inspection Type: ANNUAL
Inspection Result: COMPLD
Establishment #: 2910164 Area: 30
Units: 100
County: 29

SHILO INN TILLAMOOK
11600 SW SHILO LN
PORTLAND, OR 97225

Phone: (503) 842-7971 x
Inspector: Mason Lyman

Start Date/Time: 9/22/2014 at 2:12:55 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

101 ROOMS TOTAL, CHECK 10 ROOMS: 121,127,240,251,257,156,234,233,205,204.

CLEAN SHEETS ON BEDS
MATTRESS PADS PROVIDED
CLEAN, HOT WATER IN UNITS
SMOKE DETECTORS WORK IN EACH ROOM
BATHROOMS CLEAN/NO GAPS IN WALLS.
VENTILATION WORKS IN EACH ROOM
MICROWAVES/OVENS CLEAN
** COBWEBS PRESENT IN A FEW ROOMS (205,204,251)
**NO SCREENS ON WINDOWS IN ROOMS 204,257.
**MICROWAVE NEEDS CLEANING IN ROOM 251.
NO EVIDENCE OF RODENTS/PESTS
GARBAGE EMPTIED IN EACH ROOM

LAUNDRY ROOM-
SHELVES AND WALLS SEALED/SMOOTH
LIGHTS PROTECTED
CHEMICALS STORED SAFETY/LABELED
GOOD SEPARATION BETWEEN CLEAN AND SOILED LINENS.

FIRE EXTINGUISHERS EVERY 75 FEET
STAIRWAYS WITH HANDRAILS- SOLID
SOLID WASTE DONE WELL/COVERED/ GATED/ COLLECTED EACH WEEK (ADEQUATE)

Establishment: 2910164
Inspection Type: ANNUAL

Page 5 of 9
Start Date/Time: 9/22/2014 at 2:12:55

Comments:

Site Report Generated: 6/23/2017 3:58:30 PM

Person In Charge

Inspection By: Mason Lyman

Page 5

Establishment: 2910164
Inspection Type: ANNUAL

Page 6 of 9
Start Date/Time: 10/30/2013 at 11:44:57

Historical 10/30/2013

HOTEL/MOTEL INSPECTION REPORT

Page 6 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
SHILO INN TILLAMOOK, LLC
SHILO INN TILLAMOOK
2515 MAIN AVE N
TILLAMOOK, OR 97141

Inspection Type: ANNUAL
Inspection Result: COMPLD
Establishment #: 2910164 Area: 30

Units: 100
County: 29

SHILO INN TILLAMOOK
11600 SW SHILO LN
PORTLAND, OR 97225

Phone: (503) 842-7971 x
Inspector: Melissa Kauffman

Start Date/Time: 10/30/2013 at 11:44:57 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THE PURPOSE OF THIS VISIT IS A SEMI ANNUAL INSPECTION.

TEN ROOMS WERE INSPECTED
110,126,130,150,210,225,239,243,248 AND 256.
MATTRESS PADS ON ALL BEDS
SOME BEDS ARE COVERED IN SEALED BED PROTECTOR
SHEETS AND BEDDING ARE CLEAN AND IN GOOD REPAIR
SMOKE DETECTORS ARE WORKING
FIRE EXTINGUISHER RECENTLY INSPECTED
GOOD VENTILATION IN BATHROOM
KITCHENETS ARE IN GOOD REPAIR
REFRIGERATORS ARE CLEANED OUT

LAUNDRY ROOM IN GOOD CONDITION
GOOD SEPARATION OF CLEAN AND SOILED LINENS
LIGHTS ARE PROTECTED
CHEMICLES ARE PROPERLY STORED

OVERALL GOOD DEMONSTRATION OF KNOWLEDGE
NO VIOLATIONS AT THIS TIME, THANK YOU!

Establishment: 2910164
Inspection Type: ANNUAL

Page 7 of 9
Start Date/Time: 10/30/2013 at 11:44:57

Comments:

Site Report Generated: 6/23/2017 3:58:30 PM

Person In Charge

Inspection By: Melissa Kauffman

Page 7

Establishment: 2910164
Inspection Type: ANNUAL

Page 8 of 9
Start Date/Time: 10/4/2012 at 11:07:43

Historical 10/4/2012

HOTEL/MOTEL INSPECTION REPORT

Page 8 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
SHILO INN TILLAMOOK, LLC
SHILO INN TILLAMOOK
2515 MAIN AVE N
TILLAMOOK, OR 97141

Inspection Type: ANNUAL
Inspection Result: COMPLD
Establishment #: 2910164 Area: 30

Units: 100
County: 29

SHILO INN TILLAMOOK
11600 SW SHILO LN
PORTLAND, OR 97225

Phone: (503) 842-7971 x
Inspector: Melissa Kauffman

Start Date/Time: 10/4/2012 at 11:07:43 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THE PURPOSE OF THIS VISIT IS AN ANNUAL INSPECTION OF THE HOTEL

ROOMS 201,206,225,234,256,AND 143 WERE INSPECTED.

MATRESS PADS ON BEDS
GOOD VENTILATION IN BATHROOMS
ROOMS WITH KITCHENETS HAD CLEAN DISHES AND WERE IN GOOD REPAIR
ALL SMOKE DETECTORS ARE WORKING
FIRE EXTINGUISHERS INSPECTED YEARLY AND WITHIN 75'

LAUNDRY ROOM HAS GOOD SEPARATION OF CLEAN AND SOILED LINENS.
CHEMICLES ARE PROPERLY STORED
DISHWASHER AT 100PPM BL
CHEMICLES ARE PROPERLY STORED

OVERALL THE FACILITY IS WELL RAN.

Establishment: 2910164
Inspection Type: ANNUAL

Page 9 of 9
Start Date/Time: 10/4/2012 at 11:07:43

Comments:

Site Report Generated: 6/23/2017 3:58:30 PM

Person In Charge

Inspection By: Melissa Kauffman

Page 9