

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141  
(503) 842-3943

Owner Name:

PORT OF TILLAMOOK BAY  
TILLAMOOK AIRPORT RV PARK  
4000 BLIMP BLVD STE. 100  
TILLAMOOK, OR 97141

Inspection Type: SEMI  
Inspection Result: COMPLD  
Establishment #: 2920199 Area: 31  
Units: 30  
County: 29

TILLAMOOK AIRPORT RV PARK  
5005 HWY 101 S  
TILLAMOOK, OR 97141

Phone: (503) 842-2413 x111  
Inspector: Jaime Craig

Start Date/Time: 1/9/2017 at 12:50:40 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

SEMI ANNUAL INSPECTION  
NO PERSON IN CHARGE AVAILABLE  
DUMPSTER ON SITE NEAR RESTROOMS-OK  
SITES LABELED CLEARLY  
BATHROOMS NEED CLEANING.  
GROUNDS CLEAN  
TABLES LOOK GOOD AND STURDY  
NO RV HOOK UPS-ALL SELF CONTAINED  
NO RV'S IN PARK AT TIME OF INSPECTION  
FIRE PITS ALL LOOK GOOD  
OUTSIDE OF OFFICE LOOKS GOOD  
GOOD SPACING BETWEEN CAMP SITES  
GOOD FLOW AROUND PARK FOR CARS AND GRAVEL ROADS LOOK GOOD  
BACKFLOW DEVICE ON WATER SOURCE IN PARK

333-031-0004(4)

Violation of OAR 333-031-0004 (4) The plumbing system is not in compliance with the applicable provisions of the Oregon Plumbing Specialty Code.

**NO HOT WATER (NO FLOW OF WATER FOR HOT WATER TAPS) IN MEN'S OR WOMEN'S RESTROOM**

Bring the plumbing into compliance with the Oregon Plumbing Specialty Code. Specifically:

**PLEASE REPAIR**

333-031-0014,1

Violation of OAR 333-031-0014 Interior floors, walls, and ceilings of buildings containing living, sleeping, and eating areas, bath, toilet, and laundry areas and kitchen areas are not constructed of easily cleanable materials or kept in good repair.

**WOMEN'S RESTROOM LEAKING WATER FROM CEILING IN MULTIPLE SPOTS**

Construct or repair all interior floors, walls, and ceilings to be easily cleanable and maintained in good condition.

**PLEASE REPAIR**

Establishment: 2920199

Page 2 of 12

Inspection Type: SEMI

Start Date/Time: 1/9/2017 at 12:50:40

Comments:

---

Site Report Generated: 6/23/2017 3:42:27 PM

---

Person In Charge

Inspection By: Jaime Craig

Page 2

**Historical 8/22/2016**

**RECREATIONAL PARK INSPECTION REPORT**

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141  
(503) 842-3943**

Owner Name:

PORT OF TILLAMOOK BAY  
TILLAMOOK AIRPORT RV PARK  
4000 BLIMP BLVD STE. 100  
TILLAMOOK, OR 97141

Inspection Type: SEMI  
Inspection Result: COMPLD  
Establishment #: 2920199 Area: 31  
Units: 30  
County: 29

TILLAMOOK AIRPORT RV PARK  
5005 HWY 101 S  
TILLAMOOK, OR 97141

Phone: (503) 842-2413 x111  
Inspector: Jaime Craig  
Start Date/Time: 8/22/2016 at 2:42:41 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

NO PERSON IN CHARGE AVAILBLE  
DUMPSTER ON SITE NEAR RESTROOMS-OK  
SITES LABELED CLEARLY  
BATHROOMS NEEDED PAPER PRODUCTS, SOAP, AND CLEANING.

GROUNDS CLEAN AND PARK MOWED  
PICNIC TABLES LOOK GOOD AND STURDY  
NO RV HOOK UPS-ALL SELF CONTAINED  
4 RV'S IN PARK AT TIME OF INSPECTION  
FIRE PITS ALL LOOK GOOD  
OUTSIDE OF OFFICE LOOKS GOOD  
GOOD SPACING BETWEEN CAMP SITES  
GOOD FLOW AROUND PARK FOR CARS AND GRAVEL ROADS LOOK GOOD  
BACKFLOW DEVICE ON WATER SOURCE IN PARK  
COMMERCIAL FOUND IN MEN'S BATHROOM

333-031-0008(1)

Violation of OAR 333-031-0008 (1) Insect and rodent control measures are not effective in protecting the public health, preventing a nuisance to the public or accumulations of debris are noted.

**INSIDE SCREENS IN BATHROOMS NOT PRESENT. SOME OUT SIDE SCREENS MISSING OR MESH ALLOWING INSECTS IN BATHROOMS. GRASSHOPPERS AND FLYS.**

Apply insect and rodent control measures, including maintenance of developed areas, buildings and structures, to be free of accumulating debris, to prevent nuisance to the public and to safeguard the public health.

**PLEASE ADD NEW SCREENING TO THE INSDES OF BOTH BATHROOMS, AND REPAIR/REPLACE THE OUTSIDE SCREENS.**

Establishment: 2920199

Page 4 of 12

Inspection Type: SEMI

Start Date/Time: 8/22/2016 at 2:42:41

333-031-0012(2)

Violation of OAR 333-031-0012 (2) The plumbing installations are not in compliance with the Oregon Plumbing Specialty Code.

**NO HOT WATER IN MEN'S OR WOMEN'S BATHROOM. WOMEN'S RESTROOM  
MISSING HOT WATER FAUCET**

Take the steps necessary to bring all plumbing installations into compliance with the Oregon Plumbing Specialty Code.

**PLEASE FIX WOMEN'S HOT WATER FAUCET.**

Comments:

---

Site Report Generated: 6/23/2017 3:42:27 PM

---

Person In Charge

Inspection By: Jaime Craig

Page 4

Establishment: 2920199

Inspection Type: SEMI

Start Date/Time: 1/26/2016 at 1:54:56

**Historical 1/26/2016 RECREATIONAL PARK INSPECTION REPORT**

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141  
(503) 842-3943**

Owner Name:

PORT OF TILLAMOOK BAY  
TILLAMOOK AIRPORT RV PARK  
4000 BLIMP BLVD STE. 100  
TILLAMOOK, OR 97141

Inspection Type: SEMI  
Inspection Result: COMPLD  
Establishment #: 2920199 Area: 31

Units: 30  
County: 29

TILLAMOOK AIRPORT RV PARK  
5005 HWY 101 S  
TILLAMOOK, OR 97141

Phone: (503) 842-2413 x111  
Inspector: Mason Lyman

Start Date/Time: 1/26/2016 at 1:54:56 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

INSPECTION OF RV PARK-

PARK EMPTY AT THIS TIME  
BACKFLOW PREVENTS ON MOST FAUCETS  
RESTROOMS WITH GOOD VENTILATION, WATER PRESENT  
OUTSIDE OF BUILDINGS RECENTLY REPAIRED, AND IN GOOD SHAPE.  
GOOD SPACING OF CAMPING SITES  
EACH SITE WELL IDENTIFIED  
GARBAGE COLLECTION AREA OFF GROUND, IN CLEANABLE CONTAINER WITH LID

\*\*NO VIOLATIONS- THANK YOU

Comments:

Site Report Generated: 6/23/2017 3:42:27 PM

Person In Charge

Inspection By: Mason Lyman

**Historical 7/9/2015**

**RECREATIONAL PARK INSPECTION REPORT**

Page 6 of 12

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141  
(503) 842-3943**

Owner Name:  
PORT OF TILLAMOOK BAY  
TILLAMOOK AIRPORT RV PARK  
4000 BLIMP BLVD STE. 100  
TILLAMOOK, OR 97141

Inspection Type: SEMI  
Inspection Result: COMPLD  
Establishment #: 2920199 Area: 31  
Units: 30  
County: 29

TILLAMOOK AIRPORT RV PARK  
5005 HWY 101 S  
TILLAMOOK, OR 97141

Phone: (503) 842-2413 x111  
Inspector: Mason Lyman  
Start Date/Time: 7/9/2015 at 1:33:05 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

INSPECTION OF RV PARK-

\*\*SITE HAS NEW PAVEMENT UP FOR ACCESS ROAD, AND GRAVEL IN GOOD ORDER THROUGHOUT PARK.  
GOOD FLOW OF TRAFFIC IN PARK  
NO BLOCKAGES, GOOD ACCESS FOR EMERGENCY VEHICLES  
GARBAGE COLLECTION DONE SAFELY  
RESTROOM HAS CLEANABLE SURFACES  
OUTSIDE OF BLDG"S IN GOOD REPAIR.

\*\*PIC IS WORKING ON SITE IDENTIFICATION AT EACH SITE BEING MADE CLEARER.  
\*\*NO HOT WATER IN ANY OF THE RESTROOMS.

Comments:

Site Report Generated: 6/23/2017 3:42:27 PM

Person In Charge

Inspection By: Mason Lyman

Establishment: 2920199

Page 7 of 12

Inspection Type: SEMI

Start Date/Time: 1/9/2015 at 12:07:15

**Historical 1/9/2015 RECREATIONAL PARK INSPECTION REPORT**

Page 7 of 12

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141**

**(503) 842-3943**

Owner Name:

PORT OF TILLAMOOK BAY

TILLAMOOK AIRPORT RV PARK

4000 BLIMP BLVD STE. 100

TILLAMOOK, OR 97141

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2920199 Area: 31

Units: 30

County: 29

TILLAMOOK AIRPORT RV PARK

5005 HWY 101 S

TILLAMOOK, OR 97141

Phone: (503) 842-2413 x111

Inspector: Mason Lyman

Start Date/Time: 1/9/2015 at 12:07:15 PM

---

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

**SEMIANNUAL INSPECTION OF PARK**

PARK IS EMPTY CURRENTLY, PIC FOUND AND TALKED ABOUT UPGRADES DONE TO THE PARK INCLUDING NEW VENTING IN RESTROOMS, NEW PAINT, NEW SIDING ON OFFICE TO BE PEST FREE, NEW GRADING AROUND OFFICE, AND NEW GATE AND KEYPAD FOR ENTRANCE TOWARDS AIRPORT. PIC SAID PARK IS CLOSED FROM AROUND OCT-MAY EVERY YEAR.

BACKFLOW DEVICES ON FAUCETS

GARBAGE ELEVATED, REMOVED OFTEN ENOUGH TO AVOID BUILD UP OF DEBRIS.

GOOD VENTILATION AND ILLUMINATION IN RESTROOMS.

NO HOT WATER TO RESTROOMS, BUT WATER IS CURRENTLY TURNED OFF TO AVOID FREEZING PIPES IN OFF SEASON.

PICNIC TABLES IN GOOD REPAIR

LIGHTS OVER PARK ALL WORK DURING NIGHTS

\*\*CONTINUE WITH PLANS TO MAKE NEW SIGNS TO IDENTIFY THE RV SPOTS TO HELP EMERGENCY PERSONNEL.

\*\*PIC IS CHANGING OUT WATER FAUCETS IN PARK, WILL ALSO INCLUDE BACK FLOW DEVICES ON THOSE AS WELL.

Establishment: 2920199

Page 8 of 12

Inspection Type: SEMI

Start Date/Time: 1/9/2015 at 12:07:15

Comments:

---

Site Report Generated: 6/23/2017 3:42:27 PM

---

Person In Charge

Inspection By: Mason Lyman

Page 8



**Historical 7/23/2014 RECREATIONAL PARK INSPECTION REPORT**

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141  
(503) 842-3943**

Owner Name:  
PORT OF TILLAMOOK BAY  
TILLAMOOK AIRPORT RV PARK  
4000 BLIMP BLVD STE. 100  
TILLAMOOK, OR 97141

Inspection Type: SEMI  
Inspection Result: COMPLD  
Establishment #: 2920199 Area: 31  
Units: 30  
County: 29

TILLAMOOK AIRPORT RV PARK  
5005 HWY 101 S  
TILLAMOOK, OR 97141

Phone: (503) 842-2413 x111  
Inspector: Mason Lyman  
Start Date/Time: 7/23/2014 at 2:46:23 PM

---

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

---

Comments:

333-031-0012(2)

Violation of OAR 333-031-0012 (2) The plumbing installations are not in compliance with the Oregon Plumbing Specialty Code.

**THE MENS AND WOMENS RESTROOMS ARE WITHOUT HOT WATER.**

Take the steps necessary to bring all plumbing installations into compliance with the Oregon Plumbing Specialty Code.

**PLEASE INSTALL HOT WATER IN RESTROOMS FOR PROPER SANITATION.**

333-031-0062(1)

Violation of OAR 333-031-0062 (1) The camping spaces are not identified.

**ALL SPACES ARE NOT IDENTIFIABLE AND READILY SEEN FROM ROAD TO DISTINGUISH ONE FROM ANOTHER.**

Identify each camping space by letter, number, or name.

**ADD MARKINGS TO ACCOUND FOR EACH INDIVIDUAL LOT WITH AN IDENTIFICATION SYSTEM.**

Comments:

Site Report Generated: 6/23/2017 3:42:27 PM

Historical

3/3/2014

RECREATIONAL PARK INSPECTION REPORT

Page 10 of 12

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141  
(503) 842-3943

Owner Name:

PORT OF TILLAMOOK BAY  
TILLAMOOK AIRPORT RV PARK  
4000 BLIMP BLVD STE. 100  
TILLAMOOK, OR 97141

Inspection Type: SEMI  
Inspection Result: COMPLD  
Establishment #: 2920199 Area: 31  
Units: 30  
County: 29

TILLAMOOK AIRPORT RV PARK  
5005 HWY 101 S  
TILLAMOOK, OR 97141

Phone: (503) 842-2413 x111  
Inspector: Alex Manderson  
Start Date/Time: 3/3/2014 at 4:33:58 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

SEMI-ANNUAL INSPECTION.  
PARK NOT OCCUPIED AT TIME OF INSPECTION.  
BATHROOMS ARE PADLOCKED SHUT.  
MANY CAMP SITES ARE FLOODED.

333-031-0062(1)

Violation of OAR 333-031-0062 (1) The camping spaces are not identified.

**NOT ALL CAMPING SPACES ARE WELL MARKED.**

Identify each camping space by letter, number, or name.

Comments:

Site Report Generated: 6/23/2017 3:42:27 PM

Person In Charge

Inspection By: Alex Manderson

Establishment: 2920199

Page 11 of 12

Inspection Type: SEMI

Start Date/Time: 9/3/2013 at 12:27:53

**Historical 9/3/2013 RECREATIONAL PARK INSPECTION REPORT**

Page 11 of 12

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141  
(503) 842-3943**

Owner Name:

PORT OF TILLAMOOK BAY  
TILLAMOOK AIRPORT RV PARK  
4000 BLIMP BLVD STE. 100  
TILLAMOOK, OR 97141

Inspection Type: SEMI  
Inspection Result: COMPLD  
Establishment #: 2920199 Area: 31  
Units: 30  
County: 29

TILLAMOOK AIRPORT RV PARK  
5005 HWY 101 S  
TILLAMOOK, OR 97141

Phone: (503) 842-2413 x111  
Inspector: Melissa Kauffman  
Start Date/Time: 9/3/2013 at 12:27:53 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THE PURPOSE OF THIS VISIT IS A SEMI ANNUAL INSPECTION OF THE RV PARK

CAMP GROUND IS IN GOOD REPAIR FREE OF DEBRIS  
GARBAGE AND RECYCLING IS PROPERLY STORED  
SITES ARE EASILY IDENTIFIABLE  
NO SEWAGE HOOK UPS  
BACK FLOW PREVENTORS ON WATER SPIGOTS

333-031-0012(2)

Violation of OAR 333-031-0012 (2) The plumbing installations are not in compliance with the Oregon Plumbing Specialty Code.

**THE WOMENS RESTROOM HAS NOT HOT WATER OR HOT WATER VALVE**

Take the steps necessary to bring all plumbing installations into compliance with the Oregon Plumbing Specialty Code.

**PLEASE REPAIR**

Comments:

Site Report Generated: 6/23/2017 3:42:27 PM

Person In Charge

Inspection By: Melissa Kauffman

Page 11

Establishment: 2920199

Page 12 of 12

Inspection Type: SEMI

Start Date/Time: 3/26/2013 at 11:38:41

**Historical 3/26/2013 RECREATIONAL PARK INSPECTION REPORT**

Page 12 of 12

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141**

**(503) 842-3943**

Owner Name:

PORT OF TILLAMOOK BAY

TILLAMOOK AIRPORT RV PARK

4000 BLIMP BLVD STE. 100

TILLAMOOK, OR 97141

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2920199 Area: 31

Units: 30

County: 29

TILLAMOOK AIRPORT RV PARK

5005 HWY 101 S

TILLAMOOK, OR 97141

Phone: (503) 842-2413 x111

Inspector: Melissa Kauffman

Start Date/Time: 3/26/2013 at 11:38:41 AM

---

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THE PURPOSE OF THIS VISIT IS A SEMI ANNUAL INSPECTION OF THE RV PARK

NEW ASPHALT HAS BEEN LAID AND THE GROUNDS LOOK GREAT

NO HOOK UPS

WATER SPIGOTS ARE IN GOOD REPAIR

CAMP SITES DO HAVE POLES THAT INDICATE CAMPING LOCATIONS.

RESTROOM THAT IS AVAILABLE IS MISSING SOAP BUT OTHERWISE IS IN GOOD REPAIR

CAMP SITE IS MINIMAL AND HAS NO CAMPERS AT THIS TIME.

Comments:

---

Site Report Generated: 6/23/2017 3:42:27 PM

Person In Charge

Inspection By: Melissa Kauffman

Page 12