

Historical 8/5/2016 ORGANIZATIONAL CAMP INSPECTION REPORT
Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943

Owner Name:

PATRICK ZWEIFEL

ULTIMOOK RUNNING CAMP

9455 KILCHIS RIVER RD

TILLAMOOK, OR 97141

Inspection Type: ANNUAL

Inspection Result: COMPLD

Establishment #: 2930199 Area: 29

Units: 0

County: 29

ULTIMOOK RUNNING CAMP

9455 KILCHIS RIVER RD

TILLAMOOK, OR 97141

Phone: (503) 815-3762 x

Inspector: Jaime Craig

Start Date/Time: 8/5/2016 at 8:46:38 AM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

SEE HARD COPY IN FOLDER

Comments:

Site Report Generated: 6/23/2017 3:56:16 PM

Person In Charge

Inspection By: Jaime Craig

Page 1

Establishment: 2930199
Inspection Type: ANNUAL

Page 2 of 9
Start Date/Time: 8/10/2015 at 2:08:37

Historical 8/10/2015 ORGANIZATIONAL CAMP INSPECTION REPORT
Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943

Page 2 of 9

Owner Name:
PATRICK ZWEIFEL
ULTIMOOK RUNNING CAMP
9455 KILCHIS RIVER RD
TILLAMOOK, OR 97141

Inspection Type: ANNUAL
Inspection Result: COMPLD
Establishment #: 2930199 Area: 29
Units: 0
County: 29

ULTIMOOK RUNNING CAMP
9455 KILCHIS RIVER RD
TILLAMOOK, OR 97141

Phone: (503) 815-3762 x
Inspector: Annette Pampush

Start Date/Time: 8/10/2015 at 2:08:37 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THIS IS AN ANNUAL INSPECTION OF THE CAMP
APPROXIMATELY 200 KIDS/COUNSELORS/ADULTS ON SITE

FOOD SERVICE IS PROVIDED BY TWINS RANCH MOBILE UNIT
LUNCH BEING SERVED
HOT DOGS AT 165F
HANDWASH IN PLACE
3 COMP SINK
COLD HOLDING: CHEESE AT 40F, FREEZER, ALL
COLD HOLDING IN FLOWER FREEZER ON PALLETS , BEEF AT 40F
FROZEN ALL OKAY
ALL DISHWASHING MUST TAKE PLACE ON SITE
DRY STORAGE ON PROPERTY

SLEEPING AREA - LARGE GREENHOUSES ARE WATER PROOF. CAMPERS ON MATS ON THE GROUND
GIRLS ARE LESS THAN 30" APART, CAMPERS WILL BE MOVED TO SECOND TENT TO ALLOW MORE
SPACING
BOY CAMPERS ARE ABOUT 15-20' APART
SHOWER HOUSES- 8 SHOWERS AVAILABLE, BOYS AND GIRLS ROTATE DIFFERENT DAYS
SOLID WASTE COLLECTED TWICE DURING THE WEEK
PORTOPOTTYS USED , HANDWASH SET UP NEAR
THEY ARE PUMPED 2-3 TIMES IN THE WEEK

FIRST AID PROVIDED BY AN ATHLETIC TRAINER-JONATHAN. ALL SUPPLIES ON STATE LIST ARE
AVAILABLE EXCEPT MASK AND BIOHAZARD CONTAINER. ANY SHARPS WOULD BE TAKEN TO
PHARMACY
EMERGENCY NUMBERS ARE POSTED. ALL CAMPERS PROVIDED WITH LOCATION
AED IS PROVIDED

4-501.114(A)

VIOLATION OF SECTION 4-501.114(A) *PRIORITY* The chlorine sanitizer concentration, pH, or temperature is not adequate, specifically:

THERE WAS NO SANITIZER BUCKET SET UP AND FOOD SERVICE WAS ONGOING

REQUIRED CORRECTION: CORRECT IMMEDIATELY. Provide and maintain an approved chlorine chemical sanitizer solution that has a minimum concentration of 50 ppm at 75°F for water with a pH of 8 or less, or 100°F for water with a pH of 10 or less, or as allowed

CORRECTED

5-202.12(A)

VIOLATION OF SECTION 5-202.12(A) *PRIORITY FOUNDATION* A handwashing sink does not provide the minimum water temperature or is not equipped with a mixing valve or combination faucet, specifically:

AT ONSET OF INSPECTION, SINK DID NOT HAVE HOT WATER AND FOOD SERVICE WAS ONGOING IN SERVING TRAILER NO HOT WATER

REQUIRED CORRECTION: CORRECT IMMEDIATELY. Handwashing sinks shall be equipped to provide water at a temperature of at least 100°F through a mixing valve or combination faucet.

CORRECTED HOT WATER TURNED ON. HOT WATER MUST BE AVAILABLE AT ALL TIMES

333-030-0055(1)(e)

Violation of OAR 333-030-0055 (1)(e) The walls of the bathing, toilet, or handwashing facility are not smooth, impervious to water or easily cleanable.

WALLS NEED SEALER

Install or modify the wall surfaces of the facility so that they are smooth, impervious to water and easily cleanable.

333-030-0080(3)(c)

Violation of OAR 333-030-0080 (3)(c) (-061 exempt) A coliform sample must be taken at seasonal facilities prior to opening for the season and each quarterly sampling period while open. A minimum of two samples are required, regardless of the length of o

SAMPLE WAS NOT TAKEN

Submit a sample for coliform testing. Submit samples as required by the testing frequency defined in OAR 333-030-0080 (1)(b)and (3)(c). Specifically:

333-030-0080(3)(d)(D)

Violation of OAR 333-030-0080 (3)(d)(D) (-061 exempt) A sample was not submitted within the last year for nitrate testing

NO SAMPLE TAKEN

Submit a sample for nitrate testing. MCL violations must be reported within 24 hours to the LPHA. Nitrates must be tested annually.

Comments:

Site Report Generated: 6/23/2017 3:56:17 PM

Historical 8/13/2014 ORGANIZATIONAL CAMP INSPECTION REPORT Page 4 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:
PATRICK ZWEIFEL
ULTIMOOK RUNNING CAMP
9455 KILCHIS RIVER RD
TILLAMOOK, OR 97141

Inspection Type: ANNUAL
Inspection Result: COMPLD
Establishment #: 2930199 Area: 29
Units: 0
County: 29

ULTIMOOK RUNNING CAMP
9455 KILCHIS RIVER RD
TILLAMOOK, OR 97141

Phone: (503) 815-3762 x
Inspector: Annette Pampush
Start Date/Time: 8/13/2014 at 14:42:42

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THIS IS AN ANNUAL INSPECTION OF THE CAMP

CAMPERS WERE NOT ON SITE
FACILITY HAS CREATED TENT CAMPING IN BIG GREEN HOUSE STRUCTURES. THEY APPEAR TO BE WATER TIGHT EXCEPT FOR A COUPLE SMALL HOLES
3 OF THE RESTROOM PODS HAVE HANDWASH-SHOWER HOUSES BUILT ON CEMENT SLABS WITH PRIVACY AND NATURAL VENTILATION. HOT AND COLD WATER PROVIDED.
THE MEDIC TENT AREA WAS SET UP. APPARENTLY, MEDICAL BAG IS TAKEN IN THE VAN THAT TRANSPORTED RUNNERS TO THE DAILY RUN.

FOOD SERVICE WAS INSPECTED AT THE AVERILL GRANGE
COLD HOLDING AT 38F
NO HOT HOLDING AT THIS TIME
HASHBROWNS WERE OUT ON COOK TOP, A NOTE WAS LEFT TO DISCARD
SOME FOOD CONTAINERS STORED ON THE CEMENT IN OUTSIDE AREA. ** ALL FOOD SHOULD BE STORED 6" OFF THE GROUND
HAND WASH AVAILABLE
DISH WASH AVAILABLE
FOOD IS SERVED OUT OF STUMPYS WEINIE WAGON. WATER WAS NOT ACTIVE DURING INSPECTION.

NO OTHER ACTIVITIES AT CAMP

333-030-0055(3)(a)(A)

Violation of OAR 333-030-0055 (3)(a)(A) Handwashing sinks are not located in close proximity to toilets or urinals.

ONE RESTROOM POD LACKS A HANDWASH STATION

Install handwashing sinks, or alternative handwash facilities, in close proximity to toilets and urinals. Alternative handwash facilities use stored clean water for handwashing. Handwash waste must be disposed of properly or flow into a waste water drain

Establishment: 2930199

Page 5 of 9

Inspection Type: ANNUAL

Start Date/Time: 8/13/2014 at 14:42:42

Comments:

Site Report Generated: 6/23/2017 3:56:17 PM

Inspection By: Annette Pampush

Page 5

Establishment: 2930199

Page 6 of 9

Inspection Type: SEMI

Start Date/Time: 8/14/2013 at 1:22:04

Historical 8/14/2013 ORGANIZATIONAL CAMP INSPECTION REPORT

Page 6 of 9

Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141

(503) 842-3943

Owner Name:

PATRICK ZWEIFEL

ULTIMOOK RUNNING CAMP

9455 KILCHIS RIVER RD

TILLAMOOK, OR 97141

Inspection Type: SEMI

Inspection Result: COMPLD

Establishment #: 2930199 Area: 29

Units: 0

County: 29

ULTIMOOK RUNNING CAMP

9455 KILCHIS RIVER RD

TILLAMOOK, OR 97141

Phone: (503) 815-3762 x

Inspector: Annette Pampush

Start Date/Time: 8/14/2013 at 1:22:04 PM

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THIS IS AN INSPECTION OF THECAMP

FOOD PREP FACILITY

COLD HOLDING- 41F

DOGS IN OVEN AT 160F

HAND WASH IN PLACE AND OBSERVED

DISHWASHER HAS SANITIZER CYCLE

BED OF SUBURBAN SHOULD BE COVERED OR RINSED PRIOR TO FOOD TRANSPORT

FOOD SERVED AT CAMP BUFFET STYLE

CONDIMENT TRAILER ON SITE- ALL OKAY

PORT O POTTIES AND HANDWASH (4) ALL IN PLACE AND WORKING WELL

TENTS COVERING ALL IN PLACE AND GOOD CONDITION

GROUND CLEAN AND WELL MAINTAINED

BUSETTE HAS FIRST AID KIT AND ABILITY TO TRANSPORT

COACH ON SITE IN MORNING AND AFTERNOON FOR RECOVERY

WATERSAMPLE WILL BE TAKEN TODAY

ALL LOOKS GOOD-THANKS

Establishment: 2930199

Page 7 of 9

Inspection Type: SEMI

Start Date/Time: 8/14/2013 at 1:22:04

Comments:

Site Report Generated: 6/23/2017 3:56:17 PM

Person In Charge

Inspection By: Annette Pampush

Page 7

Historical 8/8/2013 ORGANIZATIONAL CAMP INSPECTION REPORT Page 8 of 9

**Tillamook Co. Environmental Health PO Box 489 Tillamook, OR 97141
(503) 842-3943**

Owner Name:

PATRICK ZWEIFEL

ULTIMOOK RUNNING CAMP

9455 KILCHIS RIVER RD

TILLAMOOK, OR 97141

Inspection Type: PREOP

Inspection Result: COMPLD

Establishment #: 2930199 Area: 29

Units: 0

County: 29

ULTIMOOK RUNNING CAMP

9455 KILCHIS RIVER RD

TILLAMOOK, OR 97141

Phone: (503) 815-3762 x

Inspector: Annette Pampush

Start Date/Time: 8/8/2013 at 11:30:32

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND. VIOLATIONS NOTED ON THIS REPORT MUST BE CORRECTED WITHIN THE TIME LIMIT SPECIFIED.

THIS IS A PREOPENING INSPECTION OF THE CAMP

CONDITIONAL USE PERMIT IS STILL UNDER CONSIDERATION BY COUNTY PLANNING DEPT

FACILITIES AT THE CAMP INCLUDE:

2 - 16X32 TENTS. UNKNOWN WHAT FLOOR COVERING WILL BE AT THIS TIME. IF ADDITIONAL SPACE IS NEEDED FOR THE MALES, SMALER TENTS WILL BE PROVIDED.

FIRE FIGHTING EQUIPMENT SHOULD BE LOCATED IN OR ADJACENT TO THE TENTS

TOILETS: FOUR PORT O POTTY STYLE WILL BE AVAILABLE.
TWO HANDWASH STATIONS WILL BE OUTSIDE THE TOILETS

FOOD WILL BE PREPARED AT THE ALDERBROOK GRANGE BY A HIRED COOK . FOOD WILL BE TRANPORTED BY PERSONAL VEHICLE TO THE CAMP

DINING WILL TAKE PLACE UNDER THE COVERED RAMADA. IT WILL BE SERVED BUFFET STYLE. DISHES WILL BE TAKEN TO THE GRANGE FOR WASHING AFTEWARDS.

FOOD WILL BE STORED AT THE GRANGE

CONDIMENTS AND PAPER PRODUCTS WILL BE STORED IN MOBILE UNIT LICENSED THROUGH TILLAMOOK RV

WATER SAMPLES HAVE BEEN TAKEN FOR NITRATE AND COLIFORM. AN ADDITIONAL WATER SAMPLE WILL BE TAKEN NEXT WEEK DURING CAMP

EMERGENCY PROCEDURES ARE OUTLINED IN WRITTEN FORMAT.. PLEASE SHARE THESE WITH STAFF AS WELL AS PARTICIPANTS AT THE START OF CAMP

PHONE NUMBER OF HOSPITAL AND 9-1-1 SHOULD BE POSTED AS WELL AS ADDRESS AND PHONE NUMBER OF THE CAMP.

CONGRATULATIONS ON GETTING THE CAMP STARTED.

AN INSPECTION OF THE CAMP AND OR GRANGE WILL OCCUR DURING NORMAL OPERATING TIMES

GOOD HANDWASHING IN THIS TYPE OF SETTING IS ESSENTIAL IN PREVENTING THE SPREAD OF ILLNESS. PLEASE EDUCATE THE CAMPERS ON THE IMPORTANCE OF WASHING AFTER USING THE

Establishment: 2930199

Page 9 of 9

Inspection Type: PREOP

Start Date/Time: 8/8/2013 at 11:30:32

RESTROOM AND BEFORE MEALS.

Comments:

Site Report Generated: 6/23/2017 3:56:17 PM

Inspection By: Annette Pampush

Page 9